



CLINGING G&O CLEANER

Viscous Oven Cleaner

PRODUCT USES

Effectively removes baked on grease from ovens, grills, hoods, fryers and stainless vents.

OPERATOR BENEFITS

- Ready-to-use
- Penetrates baked-on greasy soils to make cleaning oven walls easy.
- Safe on iron grills, chrome and stainless surfaces.
- Fast-action on heated surfaces reduces cleaning time.

DIRECTIONS FOR USE

DO NOT USE ON ALUMINUM. WEAR RUBBER GLOVES, EYE PROTECTION, AND A LONG-SLEEVED SHIRT WHEN USING THIS PRODUCT.

For ovens:

1. For best results use when oven is warm (120° F).
2. Spray product on areas to be cleaned.
3. Wait briefly, wipe clean. Repeat as needed.

For grills:

1. Scrape heavy deposits from grill.
2. Warm grill to 120° F - 150° F for best results.
3. Spray cleaner on grill.
4. Wait briefly, wipe clean. Repeat as needed.
5. Neutralize grill with a mild, vinegar and water solution.
6. Wipe grill dry and season well with cooking oil to prevent food from sticking.

For fryers:

1. Drain grease.
2. Add 2 oz of product to each gallon of cool water.
3. Bring fryer to a low boil for 20 minutes.
4. Brush interior thoroughly.
5. Drain and flush with clear water.
6. Neutralize fryer with a mild vinegar and water solution.

PRODUCT SPECS

Pack sizes:	6/1 Qt.	Color:	Clear/hazy
Characteristics:	Highly viscous liquid	Odor:	Pleasant scent
Rinsability:	Excellent	Foam:	Moderate
Flammability:	NA	pH in conc. form:	12.0 - 14.0
Biodegradable:	Yes	Phosphorous content:	0.2%

IMPORTANT OPERATOR INFORMATION

MSDS:

Refer to the Material Safety Data Sheet (MSDS) supplied by your distributor for information on emergency response, safe usage, hazards, first aid and proper product handling.

Emergency Response Phone:

1-800-424-9300

Statement of Practical Treatment:

If swallowed: Dilute by giving large amounts of water or milk and call a physician.
For eye or skin contact: Flush with cool water for 15 minutes and call a physician.

Product Precautions:

DANGER: CORROSIVE

Harmful if swallowed or fumes are inhaled.
Protect eyes, mucous membrane, and skin from contact with this product.

KEEP OUT OF REACH OF CHILDREN.

Shipping Classification:

UN 1760, Corrosive Liquid, N.O.S., Class 8, PG II
(Contains Potassium Hydroxide)

CORROSIVE