

Safety Data Sheet

Section 1: Identification

Name: TMA - Powdered Oxygen Bleach

Date Issued: 03-26-2026

Other Name: N/A

TMA Code: TM108591

Recommended Use: Formulated for colored fabrics

Supplier Information: TMA/Chemnet Systems, 8145 Holton Drive, Florence, KY 41042

Emergency Telephone: 800-424-9300

Product Information: 859-727-7854

Section 2: Hazard(s) Identification

Potential Health Effects

Signal Word = Warning

Label Elements:

Hazard Category:

Acute Oral Toxicity = 4 - Harmful if swallowed

Acute Dermal Toxicity = 4 - Harmful in contact with skin

Eye Damage/Irritation = 1 - Causes serious eye damage

Oxidizing Solids = 3 - May intensify fire ; oxidizer



Precautionary Statement:

Prevention = Keep away from heat. Keep/Store away from clothing/.../combustible materials. Take any precaution to avoid mixing with combustibles/...Wear protective gloves/eye protection/face protection. Do not breathe dusts or mists, wash thoroughly after handling, wear protective gloves, clothing, eye protection, face protection.

Response = In case of fire use ABC type extinguisher to extinguisher. If swallowed, rinse mouth, do not induce vomiting. Take off contaminated clothing and rinse skin with water. Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor. If in eyes, rinse cautiously with water for several minutes (remove contact lenses, if present and easy to do. Continue rinsing.

Storage = Store containers in an upright position. Ensure container lids are in place and secure when not in use.

Disposal = Review all federal, state and local laws regarding disposal of this product.

Prolonged/Repeated Exposure Effects:

Eye: May cause eye lesions

Skin: May cause dermatitis

Inhalation: May cause throat and nose bleeding and chronic bronchitis

Ingestion: may enhance existing medical eye, skin or respiratory conditions.

The above listed potential effects are compiled based on a review of all component SDS's

Section 3: Composition Information on Ingredients

| <u>CAS Number</u> | <u>Chemical Name</u> | <u>% by Vol</u> | <u>RQ#</u> | <u>OSHA</u> | <u>TWA</u> | <u>STEL</u> |
|-------------------|----------------------|-----------------|------------|-------------|------------|-------------|
| 497-19-8 | Sodium Carbonate | 47-52 | No Data | | 5 mg/m3 | No Data |
| 15630-89-04 | Sodium Percarbonate | 27-32 | No Data | | No Data | No Data |

%Phosphorus in product: 0%

Components listed above are hazardous as defined in 29 CFR 1910.1200. Their quantities are proprietary. All remaining components are considered non-hazardous and proprietary in their quantities

Section 4: First Aid Measures

Eye: Flush affected area with large quantities of water for at least 15 minutes. Obtain medical attention if irritation

Skin: Flush affected area with large quantities of water for at least 15 minutes. Obtain medical attention if irritation

Inhalation: If symptoms are experienced, remove victim to fresh air. Obtain medical attention if irritation persists.

Ingestion: Obtain medical attention.

Section 5: Fire Fighting Measures

Flash Point: N/A

Auto ignition Temperature: Not Determined

Flammability Limits: N/A

Extinguishing Media: Select extinguisher suitable for surrounding fire

Fire Fighting Methods: Use methods suitable for surrounding fire.

Unusual Fire Hazards: Oxidizer, will release O2 to support combustion.

Section 6: Accidental Release Measures

Containment and Clean up: Observe all personal protective equipment noted in sections 5 and 8. Observe local, state, and federal laws and regulations that may apply to a release and disposal of this material.

Section 7: Handling and Storage

Store containers in an upright position. Ensure container lids are in place and secure when not in use.

Section 8: Exposure Controls

| <u>CAS Number</u> | <u>Chemical Name</u> | <u>OSHA</u> | <u>TWA</u> | <u>STEL</u> |
|-------------------|----------------------|-------------|------------|-------------|
| 497-19-8 | Sodium Carbonate | | 5 mg/m3 | No Data |
| 15630-89-04 | Sodium Percarbonate | | No Data | No Data |

Engineering Controls: Use with adequate ventilation

PPE for Routine Handling and Spills: Wear safety glasses and chemical resistant gloves.

Eyes: Safety glasses recommended

Skin: Chemical protective gloves are recommended

Inhalation: No respiratory protection required w/ adequate ventilation

Section 9: Physical and Chemical Properties

| | | |
|-----------------------|---------------------------|-----------------------------|
| Physical Form: Powder | Odor: Characteristic | Freezing/Melting Point: N/D |
| Color: White | Specific Gravity: No Data | pH: N/A |
| Boiling Point: N/D | Viscosity: N/D | Vapor Density: N/D |
| Vapor Pressure: N/D | | |

Section 10: Stability and Reactivity

| | | |
|----------------------------|--|--|
| Chemical Stability: Stable | Hazardous Polymerization: Will not Occur | Conditions to Avoid: Reacts with hydrated lime to form sodium hydroxide. |
| Materials to Avoid: N/A | Hazardous Decomposition Products: Oxidizer, will react with moisture to form to form O ₂ which will support combustion | |

Section 11: Toxicological Information

Special Hazard Information on Components: No known applicable information

Listed on NTP Report? No

Listed on IARC (Suspected Carcinogen)? No

Section 12: Ecological Information

| | |
|------------------------------------|---------------------------------|
| Exotoxicity: N/D | Bio accumulative Potential: N/D |
| Persistence and Degradability: N/D | Mobility in Soil? N/D |

Section 13: Disposal Considerations

Review all federal, state and local laws regarding disposal of this product.

Section 14: Transportation Information

UN 1479, Oxidizing Solid, N.O.S. , Class 5.1, PG III (Contains Sodium Percarbonate)

The Limited Quantities of Division 5.1 materials exception [49 CFR 173.152 (b)] may be applicable to shipments of Oxidizing solid, n.o.s. if each inner packaging does not exceed 5.0 kg (11pounds) and packaged in strong outer packages not to exceed 30 kg (66 pounds). Such shipments need not be marked with the Proper Shipping Name of the contents, but shall be marked with the UN Number (1479) of the contents, preceded by the letters "UN", placed within a diamond. The width of the line forming the diamond shall be at least 2 mm; the number shall be at least 6 mm high For a shipment by air the class 5.1 label will be required.

Section 15: Regulatory Information

Contents of this SDS comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status: No components in this product is subject to the Toxic Substances Control Act (TSCA) section 12(b) export notification requirements delineated at 40 CFR part 707, subpart D.

EPA SARA Title III Chemical Listings: N/A

CERCLA Hazardous Substances: No

Section 311/312 Hazard Class: Yes (Sodium Carbonate, Sodium Percarbonate)

Section 313 Toxic Chemicals: N/A

Section 16: Other Information

Prepared by: J. Chantz Horman on 8/21/15. The industrial hygiene and safe handling procedures are believed to be applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.